

## Wheelchair Mounting Systems Comparison Chart

<b>Wheelchair Mount Name and Manufacturer</b>	<b>Daessy Folding, Locking Swing-Away, Rear Folding, Rigid, Positioner</b> Daedulus Technologies, Inc. 604-270-4605 www.Daessy.com	<b>CS2 Fold Down CS5 Rigid CS22 Hybrid CS20 Mini rigid and folding</b> CS Mounting Systems 604-726-6214 www.DJTech.com	<b>MYDESC Communication Mount I &amp; II</b> Rhamdec, Inc. 800-4-MYDESC www.Rhamdec.com	<b>Profiler ProLite</b> C.J.T. Enterprises 714-751-6295 www.cjt-yes.com
<b>Swing-Away</b>	All	CS5, CS20 rigid - no others - yes	yes	yes
<b>Folding</b>	Folding only	CS-2 CS20 folding	no	no
<b>SGDs (speech generating devices) supported</b>	Most SGDs	Most SGDs CS20: lightweight SGDs	Model I: DynaVox and others Model II: PRC	Most SGDs ProLite: light weight SGDs
<b>Computers supported</b>	most laptops	most laptops	most laptops	most laptops
<b>Frame clamp/Mounting Block (attachment to wheelchair frame)</b>	standard and custom sizes available for round, square and rectangular tubing Permobil custom: price upgrade  space taken on frame: 2"	standard and custom sizes available for round, square and rectangular tubing Permobil custom: price upgrade  space taken on frame: 2"	Standard: square or round tubing .75" – 1.25" Versatile: curved or diagonal tubing: .75" – 1.5"  space taken on frame: 2 1/4"	standard sizes available for round (3/4, 7/8, 1, 1.25, 1.5, 2), oblong, square and rectangular tubing  space taken on frame: 4"
<b>Mounting plates (attaches AAC device or computer)</b>	Most brands  Custom	Many brands  Custom	Dynavox, PRC and others that use same plate as Dynavox	Many brands
<b>Adjustability of position</b>	rigid - min. others - mod. Positioner – max.	mod.	max.	max.
<b>Stability - does mount sustain position</b>	mod.	mod. - max.	min. - mod.	min. - mod.
<b>Ease of removal (max. easiest)</b>	max. (rear folding nonremoveable)	max.	mod.	max., but lower bar non-removable
<b>Ease of replacement</b>	mod. (due to pin)	max.	mod.	max.
<b>Weight of mount (varies with mounting block &amp; plate)</b>	mod. rear - max.	mod.  CS-20 min.	mod. - max.	max.
<b>Size of mount and overall space taken on frame</b>	Varies with frame clamp	Varies with frame clamp	2 1/4" wide x 4 1/2" long block mod.	4" wide x 4" long block 3" required on frame max.
<b>Assembly time (varies with w/c config. and user needs)</b>	Rigid: min. Folding: mod. Locking: mod. Rear: max.	CS5 min. Others mod.	max.	max.
<b>Quality of instructions</b>	max., video available	max.	min. - mod.	video
<b>Tools required for assembly</b>	allen wrenches	allen wrenches (included)	allen wrenches, 1/2" wrench	rachet, sockets (included)
<b>Cost (from manufacturer)</b>	Folding \$775 Locking \$694 Rigid \$476-491 Rear \$925 Positioner \$796 (varies with block required)	CS2 \$429-486 CS-5 \$262 CS22 \$302 CS20 \$127.50 Pricing does not include frame clamp or mounting block	\$589.95 Standard mounting block: \$79.85 Versatile mounting block: \$143.00	Profiler \$615 ProLite \$465 - 495 Device plate: \$125

## Wheelchair Mounting Systems Comparison Chart

<b>Wheelchair Mount Name and Manufacturer</b>	<b>WCMK - Wheelchair Mounting Kit</b> Prentke Romich Company 800-262-1933 www.prentrom.com	<b>Simplicity</b> Words+, Inc. 800-869-8521 www.words-plus.com
<b>Swing-Away</b>	yes	swing-down option: lock at 90 and 180 degrees
<b>Folding</b>	no	no
<b>SGDs (speech generating devices) supported</b>	PRC	Many brands
<b>computers supported</b>	no	most laptops
<b>Frame Clamp/Mounting block (attachment to wheelchair frame)</b>	standard sizes available for round (3/4, 7/8, 1) and square (7/8, 3/4, 1, 1 1/2, 1 3/8, 2 1/4) tubing  space taken on frame: 2 1/2"	standard sizes available for round (3/4, 7/8, 1), square (1) and rectangular tubing custom: price upgrade  space taken on frame: 2"
<b>Mounting plates (attaches AAC device or computer)</b>	PRC mounting plate	accepts manufacturer mounting plates  12" x 12" tray, duolock
<b>Adjustability of position</b>	min.	mod.
<b>Stability - does mount sustain position</b>	mod. - max.	mod. - max.
<b>Ease of removal (max. easiest)</b>	max.	max.
<b>Ease of replacement</b>	mod. (due to pin)	max.
<b>Weight of mount (varies with mounting block &amp; plate)</b>	mod. (block heavy)	mod.
<b>Size of mount and overall space taken on frame</b>	Varies with frame clamp	Varies with frame clamp
<b>Assembly time (varies with w/c config. and user needs)</b>	min.	min.
<b>Quality of instructions</b>	mod.	video and written max.
<b>Tools required for assembly</b>	allen wrench (included)	1 allen wrench (included)
<b>Cost (from manufacturer)</b>	\$605	\$899

# Wheelchair Mounting Systems Comparison Chart